

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2		2
		% within Sex	.7%		.6%
	5-12	Count	1		1
		% within Sex	.4%		.3%
	13-19	Count	10	4	14
		% within Sex	3.6%	6.3%	4.1%
	20-24	Count	28	6	34
		% within Sex	10.2%	9.4%	10.0%
	25-29	Count	60	9	69
		% within Sex	21.8%	14.1%	20.4%
	30-39	Count	105	26	131
		% within Sex	38.2%	40.6%	38.6%
	40-49	Count	53	15	68
		% within Sex	19.3%	23.4%	20.1%
	50-59	Count	10	2	12
		% within Sex	3.6%	3.1%	3.5%
	60-69	Count	3	2	5
		% within Sex	1.1%	3.1%	1.5%
	70+	Count	3		3
		% within Sex	1.1%		.9%
Total		Count	275	64	339
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	79	14	93
		% within Sex	28.7%	21.9%	27.4%
	African American	Count	42	14	56
		% within Sex	15.3%	21.9%	16.5%
	Hispanic	Count	149	35	184
		% within Sex	54.2%	54.7%	54.3%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.4%		.3%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.4%		.3%
	Not Specified	Count	3	1	4
		% within Sex	1.1%	1.6%	1.2%
	Total	Count	275	64	339
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	155		155
		% within Sex	56.4%		45.7%
	IDU	Count	21	13	34
		% within Sex	7.6%	20.3%	10.0%
	M-M & IDU	Count	9		9
		% within Sex	3.3%		2.7%
	Heterosexual Contact	Count	13	29	42
		% within Sex	4.7%	45.3%	12.4%
	Transfusion	Count	2	1	3
		% within Sex	.7%	1.6%	.9%
	Not Classified	Count	72	21	93
		% within Sex	26.2%	32.8%	27.4%
	Ped Parent at Risk	Count	2		2
		% within Sex	.7%		.6%
	Ped Other-Undet	Count	1		1
		% within Sex	.4%		.3%
	Total	Count	275	64	339
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	92	93
		% within Adult-Ped	33.3%	27.4%	27.4%
	African American	Count	1	55	56
		% within Adult-Ped	33.3%	16.4%	16.5%
	Hispanic	Count	1	183	184
		% within Adult-Ped	33.3%	54.5%	54.3%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		4	4
		% within Adult-Ped		1.2%	1.2%
	Total	Count	3	336	339
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	3	272	275
		% within Adult-Ped	100.0%	81.0%	81.1%
	Female	Count		64	64
		% within Adult-Ped		19.0%	18.9%
Total		Count	3	336	339
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	7	4	11
		% within Sex	4.1%	9.1%	5.1%
	20-24	Count	28	9	37
		% within Sex	16.4%	20.5%	17.2%
	25-29	Count	35	6	41
		% within Sex	20.5%	13.6%	19.1%
	30-39	Count	69	17	86
		% within Sex	40.4%	38.6%	40.0%
	40-49	Count	21	6	27
		% within Sex	12.3%	13.6%	12.6%
	50-59	Count	10	2	12
		% within Sex	5.8%	4.5%	5.6%
	70+	Count	1		1
		% within Sex	.6%		.5%
Total	Count	171	44	215	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	53	15	68
		% within Sex	31.0%	34.1%	31.6%
	African American	Count	13	9	22
		% within Sex	7.6%	20.5%	10.2%
	Hispanic	Count	105	19	124
		% within Sex	61.4%	43.2%	57.7%
	Not Specified	Count		1	1
		% within Sex		2.3%	.5%
	Total		Count	171	44
			% within Sex	100.0%	100.0%

a. HSDA = San Antonio

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	93		93
		% within Sex	54.4%		43.3%
	IDU	Count	14	8	22
		% within Sex	8.2%	18.2%	10.2%
	M-M & IDU	Count	3		3
		% within Sex	1.8%		1.4%
	Heterosexual Contact	Count	7	19	26
		% within Sex	4.1%	43.2%	12.1%
	Not Classified	Count	54	17	71
		% within Sex	31.6%	38.6%	33.0%
Total	Count	171	44	215	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	68	68
		% within Adult-Ped	31.6%	31.6%
	African American	Count	22	22
		% within Adult-Ped	10.2%	10.2%
	Hispanic	Count	124	124
		% within Adult-Ped	57.7%	57.7%
	Not Specified	Count	1	1
		% within Adult-Ped	.5%	.5%
Total	Count	215	215	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	171	171
		% within Adult-Ped	79.5%	79.5%
	Female	Count	44	44
		% within Adult-Ped	20.5%	20.5%
Total		Count	215	215
		% within Adult-Ped	100.0%	100.0%

a. HSDA = San Antonio

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	1 (12-23 mo)	Count	1		1
		% within Sex	.1%		.1%
	5-12	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	13-19	Count	25	12	37
		% within Sex	3.4%	5.9%	3.9%
	20-24	Count	84	34	118
		% within Sex	11.4%	16.8%	12.6%
	25-29	Count	161	32	193
		% within Sex	21.9%	15.8%	20.6%
	30-39	Count	291	71	362
		% within Sex	39.6%	35.1%	38.6%
	40-49	Count	123	38	161
		% within Sex	16.7%	18.8%	17.2%
	50-59	Count	37	10	47
		% within Sex	5.0%	5.0%	5.0%
	60-69	Count	4	2	6
		% within Sex	.5%	1.0%	.6%
	70+	Count	5	1	6
		% within Sex	.7%	.5%	.6%
Total		Count	735	202	937
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	245	60	305
		% within Sex	33.3%	29.7%	32.6%
	African American	Count	97	44	141
		% within Sex	13.2%	21.8%	15.0%
	Hispanic	Count	386	96	482
		% within Sex	52.5%	47.5%	51.4%
	Asian-Pacific Islander	Count	3		3
		% within Sex	.4%		.3%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.1%		.1%
	Not Specified	Count	3	2	5
		% within Sex	.4%	1.0%	.5%
	Total		735	202	937
			100.0%	100.0%	100.0%

a. HSDA = San Antonio

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	431		431
		% within Sex	58.6%		46.0%
	IDU	Count	53	43	96
		% within Sex	7.2%	21.3%	10.2%
	M-M & IDU	Count	25		25
		% within Sex	3.4%		2.7%
	Heterosexual Contact	Count	32	85	117
		% within Sex	4.4%	42.1%	12.5%
	Transfusion	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	Not Classified	Count	186	71	257
		% within Sex	25.3%	35.1%	27.4%
	Ped Parent at Risk	Count	4	1	5
		% within Sex	.5%	.5%	.5%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.1%	.5%	.2%
Total	Count	735	202	937	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = San Antonio

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	303	305
		% within Adult-Ped	28.6%	32.6%	32.6%
	African American	Count	3	138	141
		% within Adult-Ped	42.9%	14.8%	15.0%
	Hispanic	Count	2	480	482
		% within Adult-Ped	28.6%	51.6%	51.4%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		5	5
		% within Adult-Ped		.5%	.5%
	Total	Count	7	930	937
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	5	730	735
		% within Adult-Ped	71.4%	78.5%	78.4%
	Female	Count	2	200	202
		% within Adult-Ped	28.6%	21.5%	21.6%
Total		Count	7	930	937
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	1 (12-23 mo)	Count	1		1
		% within Sex	.1%		.1%
	5-12	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	13-19	Count	25	12	37
		% within Sex	3.4%	6.0%	4.0%
	20-24	Count	84	34	118
		% within Sex	11.6%	17.1%	12.8%
	25-29	Count	160	32	192
		% within Sex	22.0%	16.1%	20.8%
	30-39	Count	289	70	359
		% within Sex	39.8%	35.2%	38.8%
	40-49	Count	121	36	157
		% within Sex	16.7%	18.1%	17.0%
	50-59	Count	33	10	43
		% within Sex	4.5%	5.0%	4.6%
	60-69	Count	4	2	6
		% within Sex	.6%	1.0%	.6%
	70+	Count	5	1	6
		% within Sex	.7%	.5%	.6%
Total		Count	726	199	925
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count	2		2
		% within Sex	.3%		.2%
	5-12	Count	2	1	3
		% within Sex	.3%	.5%	.3%
	13-19	Count	4	5	9
		% within Sex	.6%	2.5%	1.0%
	20-24	Count	54	15	69
		% within Sex	7.4%	7.5%	7.5%
	25-29	Count	84	33	117
		% within Sex	11.6%	16.6%	12.6%
	30-39	Count	301	69	370
		% within Sex	41.5%	34.7%	40.0%
	40-49	Count	207	54	261
		% within Sex	28.5%	27.1%	28.2%
	50-59	Count	50	13	63
		% within Sex	6.9%	6.5%	6.8%
	60-69	Count	17	8	25
		% within Sex	2.3%	4.0%	2.7%
	70+	Count	5	1	6
		% within Sex	.7%	.5%	.6%
Total		Count	726	199	925
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	242	59	301
		% within Sex	33.3%	29.6%	32.5%
	African American	Count	96	43	139
		% within Sex	13.2%	21.6%	15.0%
	Hispanic	Count	381	95	476
		% within Sex	52.5%	47.7%	51.5%
	Asian-Pacific Islander	Count	3		3
		% within Sex	.4%		.3%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.1%		.1%
	Not Specified	Count	3	2	5
		% within Sex	.4%	1.0%	.5%
Total	Count	726	199	925	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = San Antonio

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	429		429
		% within Sex	59.1%		46.4%
	IDU	Count	53	41	94
		% within Sex	7.3%	20.6%	10.2%
	M-M & IDU	Count	24		24
		% within Sex	3.3%		2.6%
	Heterosexual Contact	Count	32	84	116
		% within Sex	4.4%	42.2%	12.5%
	Transfusion	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	Not Classified	Count	180	71	251
		% within Sex	24.8%	35.7%	27.1%
	Ped Parent at Risk	Count	4	1	5
		% within Sex	.6%	.5%	.5%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.1%	.5%	.2%
Total		Count	726	199	925
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	299	301
		% within Adult-Ped	28.6%	32.6%	32.5%
	African American	Count	3	136	139
		% within Adult-Ped	42.9%	14.8%	15.0%
	Hispanic	Count	2	474	476
		% within Adult-Ped	28.6%	51.6%	51.5%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		5	5
		% within Adult-Ped		.5%	.5%
Total	Count	7	918	925	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = San Antonio

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	5	721	726
		% within Adult-Ped	71.4%	78.5%	78.5%
	Female	Count	2	197	199
		% within Adult-Ped	28.6%	21.5%	21.5%
Total		Count	7	918	925
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2		2
		% within Sex	1.3%		1.1%
	20-24	Count	5	4	9
		% within Sex	3.2%	12.9%	4.8%
	25-29	Count	12	2	14
		% within Sex	7.6%	6.5%	7.4%
	30-39	Count	73	10	83
		% within Sex	46.5%	32.3%	44.1%
	40-49	Count	46	10	56
		% within Sex	29.3%	32.3%	29.8%
	50-59	Count	13	4	17
		% within Sex	8.3%	12.9%	9.0%
	60-69	Count	6	1	7
		% within Sex	3.8%	3.2%	3.7%
Total	Count	157	31	188	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	48	3	51
		% within Sex	30.6%	9.7%	27.1%
	African American	Count	21	9	30
		% within Sex	13.4%	29.0%	16.0%
	Hispanic	Count	83	18	101
		% within Sex	52.9%	58.1%	53.7%
	Asian-Pacific Islander	Count	2	1	3
		% within Sex	1.3%	3.2%	1.6%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.6%		.5%
	Not Specified	Count	2		2
		% within Sex	1.3%		1.1%
Total	Count	157	31	188	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = San Antonio

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	86		86
		% within Sex	54.8%		45.7%
	IDU	Count	17	3	20
		% within Sex	10.8%	9.7%	10.6%
	M-M & IDU	Count	3		3
		% within Sex	1.9%		1.6%
	Heterosexual Contact	Count	13	13	26
		% within Sex	8.3%	41.9%	13.8%
	Transfusion	Count	1		1
		% within Sex	.6%		.5%
	Not Classified	Count	37	15	52
		% within Sex	23.6%	48.4%	27.7%
Total	Count	157	31	188	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	51	51
		% within Adult-Ped	27.1%	27.1%
	African American	Count	30	30
		% within Adult-Ped	16.0%	16.0%
	Hispanic	Count	101	101
		% within Adult-Ped	53.7%	53.7%
	Asian-Pacific Islander	Count	3	3
		% within Adult-Ped	1.6%	1.6%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	.5%	.5%
	Not Specified	Count	2	2
		% within Adult-Ped	1.1%	1.1%
Total	Count	188	188	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = San Antonio

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	157	157
		% within Adult-Ped	83.5%	83.5%
	Female	Count	31	31
		% within Adult-Ped	16.5%	16.5%
Total		Count	188	188
		% within Adult-Ped	100.0%	100.0%

a. HSDA = San Antonio

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2		2
		% within Sex	1.1%		.9%
	20-24	Count	4	2	6
		% within Sex	2.1%	6.3%	2.7%
	25-29	Count	21	4	25
		% within Sex	11.2%	12.5%	11.4%
	30-39	Count	80	14	94
		% within Sex	42.8%	43.8%	42.9%
	40-49	Count	59	9	68
		% within Sex	31.6%	28.1%	31.1%
	50-59	Count	15	3	18
		% within Sex	8.0%	9.4%	8.2%
	60-69	Count	5		5
		% within Sex	2.7%		2.3%
	70+	Count	1		1
		% within Sex	.5%		.5%
Total		Count	187	32	219
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	46	6	52
		% within Sex	24.6%	18.8%	23.7%
	African American	Count	23	6	29
		% within Sex	12.3%	18.8%	13.2%
	Hispanic	Count	117	20	137
		% within Sex	62.6%	62.5%	62.6%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.5%		.5%
	Total	Count	187	32	219
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	99		99
		% within Sex	52.9%		45.2%
	IDU	Count	18	5	23
		% within Sex	9.6%	15.6%	10.5%
	M-M & IDU	Count	4		4
		% within Sex	2.1%		1.8%
	Heterosexual Contact	Count	10	18	28
		% within Sex	5.3%	56.3%	12.8%
	Not Classified	Count	56	9	65
		% within Sex	29.9%	28.1%	29.7%
Total	Count	187	32	219	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	52	52
		% within Adult-Ped	23.7%	23.7%
	African American	Count	29	29
		% within Adult-Ped	13.2%	13.2%
	Hispanic	Count	137	137
		% within Adult-Ped	62.6%	62.6%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	.5%	.5%
Total	Count	219	219	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	187	187
		% within Adult-Ped	85.4%	85.4%
	Female	Count	32	32
		% within Adult-Ped	14.6%	14.6%
Total		Count	219	219
		% within Adult-Ped	100.0%	100.0%

a. HSDA = San Antonio

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	4	5	9
		% within Sex	.1%	1.2%	.2%
	1 (12-23 mo)	Count	5	3	8
		% within Sex	.1%	.7%	.2%
	2-4	Count	3	1	4
		% within Sex	.1%	.2%	.1%
	5-12	Count	4	3	7
		% within Sex	.1%	.7%	.2%
	13-19	Count	33	6	39
		% within Sex	.8%	1.5%	.9%
	20-24	Count	167	36	203
		% within Sex	4.1%	8.9%	4.5%
	25-29	Count	665	55	720
		% within Sex	16.3%	13.6%	16.0%
	30-39	Count	1870	162	2032
		% within Sex	45.8%	40.1%	45.3%
	40-49	Count	936	84	1020
		% within Sex	22.9%	20.8%	22.7%
	50-59	Count	284	30	314
		% within Sex	7.0%	7.4%	7.0%
	60-69	Count	95	14	109
		% within Sex	2.3%	3.5%	2.4%
	70+	Count	18	5	23
		% within Sex	.4%	1.2%	.5%
Total		Count	4084	404	4488
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1625	117	1742
		% within Sex	39.8%	29.0%	38.8%
	African American	Count	441	88	529
		% within Sex	10.8%	21.8%	11.8%
	Hispanic	Count	1994	198	2192
		% within Sex	48.8%	49.0%	48.8%
	Asian-Pacific Islander	Count	10	1	11
		% within Sex	.2%	.2%	.2%
	Am Indian-Alaskan	Count	7		7
		% within Sex	.2%		.2%
	Not Specified	Count	7		7
		% within Sex	.2%		.2%
	Total	Count	4084	404	4488
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2828		2828
		% within Sex	69.2%		63.0%
	IDU	Count	360	98	458
		% within Sex	8.8%	24.3%	10.2%
	M-M & IDU	Count	319		319
		% within Sex	7.8%		7.1%
	Hemophiliac	Count	36	1	37
		% within Sex	.9%	.2%	.8%
	Heterosexual Contact	Count	198	213	411
		% within Sex	4.8%	52.7%	9.2%
	Transfusion	Count	41	14	55
		% within Sex	1.0%	3.5%	1.2%
	Confirmed Other	Count		2	2
		% within Sex		.5%	.0%
	Not Classified	Count	284	64	348
		% within Sex	7.0%	15.8%	7.8%
	Ped Hemophiliac	Count	4		4
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	11	11	22
		% within Sex	.3%	2.7%	.5%
	Ped Transfusion	Count	3		3
		% within Sex	.1%		.1%
	Ped Confirmed Other	Count		1	1
		% within Sex		.2%	.0%
Total		Count	4084	404	4488
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	8	1734	1742
		% within Adult-Ped	28.6%	38.9%	38.8%
	African American	Count	7	522	529
		% within Adult-Ped	25.0%	11.7%	11.8%
	Hispanic	Count	13	2179	2192
		% within Adult-Ped	46.4%	48.9%	48.8%
	Asian-Pacific Islander	Count		11	11
		% within Adult-Ped		.2%	.2%
	Am Indian-Alaskan	Count		7	7
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		7	7
		% within Adult-Ped		.2%	.2%
	Total	Count	28	4460	4488
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	16	4068	4084
		% within Adult-Ped	57.1%	91.2%	91.0%
	Female	Count	12	392	404
		% within Adult-Ped	42.9%	8.8%	9.0%
Total		Count	28	4460	4488
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		1	1
		% within Sex		.4%	.0%
	1 (12-23 mo)	Count	1	2	3
		% within Sex	.1%	.8%	.1%
	2-4	Count	1	1	2
		% within Sex	.1%	.4%	.1%
	5-12	Count	1	2	3
		% within Sex	.1%	.8%	.1%
	13-19	Count	13	4	17
		% within Sex	.7%	1.6%	.8%
	20-24	Count	88	26	114
		% within Sex	4.7%	10.3%	5.3%
	25-29	Count	294	37	331
		% within Sex	15.5%	14.6%	15.4%
	30-39	Count	898	111	1009
		% within Sex	47.5%	43.9%	47.1%
	40-49	Count	440	43	483
		% within Sex	23.3%	17.0%	22.5%
	50-59	Count	127	18	145
		% within Sex	6.7%	7.1%	6.8%
	60-69	Count	24	7	31
		% within Sex	1.3%	2.8%	1.4%
	70+	Count	4	1	5
		% within Sex	.2%	.4%	.2%
Total		Count	1891	253	2144
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1	3	4
		% within Sex	.1%	1.2%	.2%
	13-19	Count	3	2	5
		% within Sex	.2%	.8%	.2%
	20-24	Count	14	5	19
		% within Sex	.7%	2.0%	.9%
	25-29	Count	59	18	77
		% within Sex	3.1%	7.1%	3.6%
	30-39	Count	675	101	776
		% within Sex	35.7%	39.9%	36.2%
	40-49	Count	772	88	860
		% within Sex	40.8%	34.8%	40.1%
	50-59	Count	287	23	310
		% within Sex	15.2%	9.1%	14.5%
	60-69	Count	68	9	77
		% within Sex	3.6%	3.6%	3.6%
	70+	Count	12	4	16
		% within Sex	.6%	1.6%	.7%
Total		Count	1891	253	2144
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	681	66	747
		% within Sex	36.0%	26.1%	34.8%
	African American	Count	223	59	282
		% within Sex	11.8%	23.3%	13.2%
	Hispanic	Count	972	127	1099
		% within Sex	51.4%	50.2%	51.3%
	Asian-Pacific Islander	Count	6	1	7
		% within Sex	.3%	.4%	.3%
	Am Indian-Alaskan	Count	6		6
		% within Sex	.3%		.3%
	Not Specified	Count	3		3
		% within Sex	.2%		.1%
Total		Count	1891	253	2144
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1268		1268
		% within Sex	67.1%		59.1%
	IDU	Count	188	57	245
		% within Sex	9.9%	22.5%	11.4%
	M-M & IDU	Count	126		126
		% within Sex	6.7%		5.9%
	Hemophiliac	Count	7	1	8
		% within Sex	.4%	.4%	.4%
	Heterosexual Contact	Count	113	140	253
		% within Sex	6.0%	55.3%	11.8%
	Transfusion	Count	6		6
		% within Sex	.3%		.3%
Total	Not Classified	Count	179	49	228
		% within Sex	9.5%	19.4%	10.6%
	Ped Hemophiliac	Count	2		2
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	2	5	7
		% within Sex	.1%	2.0%	.3%
	Ped Confirmed Other	Count		1	1
		% within Sex		.4%	.0%
		Count	1891	253	2144
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	3	744	747
		% within Adult-Ped	33.3%	34.8%	34.8%
	African American	Count	1	281	282
		% within Adult-Ped	11.1%	13.2%	13.2%
	Hispanic	Count	5	1094	1099
		% within Adult-Ped	55.6%	51.2%	51.3%
	Asian-Pacific Islander	Count		7	7
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		6	6
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		3	3
		% within Adult-Ped		.1%	.1%
Total		Count	9	2135	2144
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	3	1888	1891
		% within Adult-Ped	33.3%	88.4%	88.2%
	Female	Count	6	247	253
		% within Adult-Ped	66.7%	11.6%	11.8%
Total		Count	9	2135	2144
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

HSDA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	2	5
		% within Sex	.1%	.4%	.2%
	1 (12-23 mo)	Count	2	2	4
		% within Sex	.1%	.4%	.1%
	2-4	Count	1	1	2
		% within Sex	.0%	.2%	.1%
	5-12	Count	2	3	5
		% within Sex	.1%	.7%	.2%
	13-19	Count	38	16	54
		% within Sex	1.5%	3.5%	1.8%
	20-24	Count	172	60	232
		% within Sex	6.6%	13.3%	7.6%
	25-29	Count	454	69	523
		% within Sex	17.3%	15.3%	17.0%
	30-39	Count	1187	181	1368
		% within Sex	45.4%	40.0%	44.6%
	40-49	Count	561	79	640
		% within Sex	21.4%	17.5%	20.9%
	50-59	Count	160	28	188
		% within Sex	6.1%	6.2%	6.1%
	60-69	Count	28	9	37
		% within Sex	1.1%	2.0%	1.2%
	70+	Count	9	2	11
		% within Sex	.3%	.4%	.4%
Total		Count	2617	452	3069
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count	2		2
		% within Sex	.1%		.1%
	5-12	Count	3	4	7
		% within Sex	.1%	.9%	.2%
	13-19	Count	7	7	14
		% within Sex	.3%	1.5%	.5%
	20-24	Count	68	20	88
		% within Sex	2.6%	4.4%	2.9%
	25-29	Count	143	51	194
		% within Sex	5.5%	11.3%	6.3%
	30-39	Count	976	170	1146
		% within Sex	37.3%	37.6%	37.3%
	40-49	Count	979	142	1121
		% within Sex	37.4%	31.4%	36.5%
	50-59	Count	337	36	373
		% within Sex	12.9%	8.0%	12.2%
	60-69	Count	85	17	102
		% within Sex	3.2%	3.8%	3.3%
	70+	Count	17	5	22
		% within Sex	.6%	1.1%	.7%
Total		Count	2617	452	3069
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	923	125	1048
		% within Sex	35.3%	27.7%	34.1%
	African American	Count	319	102	421
		% within Sex	12.2%	22.6%	13.7%
	Hispanic	Count	1353	222	1575
		% within Sex	51.7%	49.1%	51.3%
	Asian-Pacific Islander	Count	9	1	10
		% within Sex	.3%	.2%	.3%
	Am Indian-Alaskan	Count	7		7
		% within Sex	.3%		.2%
	Not Specified	Count	6	2	8
		% within Sex	.2%	.4%	.3%
Total	Count	2617	452	3069	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1697		1697
		% within Sex	64.8%		55.3%
	IDU	Count	241	98	339
		% within Sex	9.2%	21.7%	11.0%
	M-M & IDU	Count	150		150
		% within Sex	5.7%		4.9%
	Hemophiliac	Count	7	1	8
		% within Sex	.3%	.2%	.3%
	Heterosexual Contact	Count	145	224	369
		% within Sex	5.5%	49.6%	12.0%
	Transfusion	Count	9	1	10
		% within Sex	.3%	.2%	.3%
	Not Classified	Count	359	120	479
		% within Sex	13.7%	26.5%	15.6%
	Ped Hemophiliac	Count	2		2
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	6	6	12
		% within Sex	.2%	1.3%	.4%
	Ped Confirmed Other	Count		1	1
		% within Sex		.2%	.0%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.0%	.2%	.1%
Total		Count	2617	452	3069
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	5	1043	1048
		% within Adult-Ped	31.3%	34.2%	34.1%
	African American	Count	4	417	421
		% within Adult-Ped	25.0%	13.7%	13.7%
	Hispanic	Count	7	1568	1575
		% within Adult-Ped	43.8%	51.4%	51.3%
	Asian-Pacific Islander	Count		10	10
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		7	7
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		8	8
		% within Adult-Ped		.3%	.3%
	Total	Count	16	3053	3069
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	8	2609	2617
		% within Adult-Ped	50.0%	85.5%	85.3%
	Female	Count	8	444	452
		% within Adult-Ped	50.0%	14.5%	14.7%
Total		Count	16	3053	3069
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = San Antonio